

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20040212309").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 14:52
L2	72	(flasher near3 switch\$4) and dim\$4 and (led or light or diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:13
L3	15	(flasher near3 switch\$4) and dim\$4 and (led or (light near diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:15
L4	15	(flasher near3 switch\$4) and dim\$4 and (led\$1 or (light near diode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:15
L5	23	(flasher near5 switch\$4) and dim\$4 and (led\$1 or (light near diode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:34
L6	207	(flash\$4 near5 switch\$4) and dim\$4 and (led\$1 or (light near diode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:34
L7	138	(flash\$4 near3 switch\$4) and dim\$4 and (led\$1 or (light near diode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:37
L8	127	(flash\$4 near3 switch\$4) and dim\$4 and (led\$1 or (light near diode\$1)) and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:44
L9	115	(flash\$4 near3 switch\$4) and dim\$4 and (led\$1 or (light near diode\$1)) and power and (voltage current (photo near detector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:47

L10	388871	light near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5 monitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 17:57
L11	337807	voltage near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5 monitor3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:46
L12	359649	current near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5 monitor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:46
L13	74	(flash\$4 near3 switch\$4) and dim\$4 and (led\$1 or (light near diode\$1)) and power and (I10 I11 I12)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 17:30
L14	2	("6388399").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 15:50
L15	1642	flash\$4 and dim\$4 and (led\$1 or (light near3 diode\$1)) and power and (I10 I11 I12)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 17:37
L16	58539	("315").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 17:32
L17	172	I15 and I16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 17:32
L18	153	I17 not I13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 17:33
L19	82	flasher and dim\$4 and (led\$1 or (light near3 diode\$1)) and power and (I10 I11 I12)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 17:59

L20	64	I19 not I13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 17:38
L21	30	I20 and dimmer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 17:39
L22	45	I20 and (dimmer dimming)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 17:39
L23	414779	(light near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5 monitor)) (photo near (diode detect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 17:58
L24	76	flasher and dim\$4 and (led\$1 or (light near3 diode\$1)) and power and (I10 I11 I23)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 18:00
L25	22	I16 and I24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 18:00
S1	2	("20030081646").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/15 21:30
S2	0	flasher and dim\$4 and contoller and ((light near sensor) or (photo near detect\$4)) and ((voltage near detect\$4) or (voltage near sensor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 21:33
S3	5920	flasher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 21:34
S4	353	flasher and dim\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 21:34

S5	316	flasher and dim\$4 and (led or light or diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:12
S6	276	flasher and dim\$4 and (led or light or diode) and control\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 21:35
S7	44	flasher and dim\$4 and (led or light or diode) and control\$3 and (light near sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 21:36
S8	52	flasher and dim\$4 and (led or light or diode) and control\$3 and ((light near sensor) or (photo near detector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 21:36
S9	32	flasher and dim\$4 and (led or light or diode) and control\$3 and ((light near sensor) or (photo near detector)) and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 14:52
S10	30	flasher and dim\$4 and (led or light or diode) and control\$3 and ((light near sensor) or (photo near detector)) and voltage and current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 21:37
S11	30	flasher and dim\$4 and (led or light or diode) and control\$3 and ((light near sensor) or (photo near detector)) and voltage and current and circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 21:46
S12	16259	traffic near control\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 21:47
S13	6152	(traffic near control\$3) and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 21:47
S14	1091	(traffic near control\$3) and switch and flash\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/15 21:47

S15	68	(traffic near control\$3) and switch and flash\$3 and dim\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 11:55
S16	339752	light near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:45
S17	306506	voltage near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:46
S18	302454	current near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 15:46
S19	9239	(light near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (voltage near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (current near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 11:57
S20	76	(light near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (voltage near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (current near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and flasher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 16:51
S21	11	(light near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (voltage near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (current near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and flasher and dim\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 13:11
S22	2035	(315/307-308).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 13:11
S23	2444	(315/307-308,200A).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 13:52

S24	0	315/148-159,308,dig.191,224	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 13:53
S25	4206	(315/148-159,308,dig.191,224). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 13:53
S26	371	((315/148-159,308,dig.191,224). CCLS.) and led	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 13:57
S27	0	((((315/148-159,308,dig.191,224). CCLS.) and led) and @ad < ("2003" US-20020075148-A1.DID. "23")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 13:56
S28	147	((315/148-159,308,dig.191,224). CCLS.) and led and dim\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:32
S29	146	((315/148-159,308,dig.191,224). CCLS.) and led and dim\$4 and control\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:33
S30	13	((315/148-159,308,dig.191,224). CCLS.) and led and dim\$4 and control\$3 and traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 14:33
S31	8	((315/148-159,308,dig.191,224). CCLS.) and led and dim\$4 and control\$3 and traffic and voltage and current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:00
S32	125	((315/148-159,308,dig.191,224). CCLS.) and led and dim\$4 and control\$3 and voltage and current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:01
S33	26	((315/148-159,308,dig.191,224). CCLS.) and led and dim\$4 and control\$3 and voltage and current and flash\$2 and light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 15:02

S34	4	(light near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (voltage near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (current near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and flasher and dim\$3 and led	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/16 19:21
S35	2	("6388399").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 19:21
S36	2	("6388399").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 14:04
S37	2	("6388399").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 17:28